

Prepared for:
Partnered Process LLC

402 Travis Ln Ste 64
Waukesha, WI USA 53189

WS CBD

Batch ID or Lot Number: WS CBD	Test: Potency	Reported: 28Feb2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000236512	Started: 24Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 24Feb2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.012	0.034	ND	ND	
Cannabichromenic Acid (CBCA)	0.011	0.031	ND	ND	
Cannabidiol (CBD)	0.031	0.091	6.550	65.50	
Cannabidiolic Acid (CBDA)	0.032	0.093	ND	ND	
Cannabidivarin (CBDV)	0.007	0.021	0.020	0.20	
Cannabidivarinic Acid (CBDVA)	0.013	0.039	ND	ND	
Cannabigerol (CBG)	0.007	0.019	ND	ND	
Cannabigerolic Acid (CBGA)	0.029	0.081	ND	ND	
Cannabinol (CBN)	0.009	0.025	ND	ND	
Cannabinolic Acid (CBNA)	0.020	0.055	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.035	0.097	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.032	0.088	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.028	0.078	ND	ND	
Tetrahydrocannabivarin (THCV)	0.006	0.018	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.025	0.069	ND	ND	
Total Cannabinoids			6.570	65.70	
Total Potential THC			ND	ND	
Total Potential CBD			6.550	65.50	

Final Approval



Karen Winternheimer
28Feb2023
09:21:00 AM MST

PREPARED BY / DATE



Sam Smith
28Feb2023
09:28:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/61f60f1c-d7f7-4f19-b9a5-2f0d71c03456>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
61f60f1cd7f74f19b9a52f0d71c03456.1