

Prepared for:
Partnered Process LLC

402 Travis Ln Ste 64
Waukesha, WI USA 53189


250mg per 30mL Tincture CBD FS org Crude Natural

Batch ID or Lot Number: OT31922-1	Test: Potency	Reported: 21Nov2022	USDA License: N/A
Matrix: Solution	Test ID: T000228023	Started: 18Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 17Nov2022	Status: N/A

Cannabinoids

	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.053	0.177	0.290	0.30	Density = 0.946g/mL
Cannabichromenic Acid (CBCA)	0.049	0.162	ND	ND	
Cannabidiol (CBD)	0.167	0.485	8.570	9.10	
Cannabidiolic Acid (CBDA)	0.172	0.497	ND	ND	
Cannabidivarin (CBDV)	0.040	0.115	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.072	0.208	ND	ND	
Cannabigerol (CBG)	0.030	0.101	0.420	0.40	
Cannabigerolic Acid (CBGA)	0.127	0.421	ND	ND	
Cannabinol (CBN)	0.039	0.131	ND	ND	
Cannabinolic Acid (CBNA)	0.086	0.287	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.151	0.502	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.137	0.455	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.121	0.404	ND	ND	
Tetrahydrocannabivarin (THCV)	0.028	0.092	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.107	0.356	ND	ND	
Total Cannabinoids			9.280	9.80	
Total Potential THC			0.000	0.00	
Total Potential CBD			8.570	9.10	

Final Approval



Sam Smith
21Nov2022
02:41:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
21Nov2022
02:45:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/602556dc-2047-4ac8-8198-2d95e08b8062>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

602556dc20474ac881982d95e08b8062.1